UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE 301 NORTH RANDOLPH STREET CHAMPAIGN, ILLINOIS 61820

CLASSIFICATION AND CORRELATION
OF THE SOILS OF
JO DAVIESS COUNTY, ILLINOIS
JANUARY 1990

This correlation was prepared by John C. Doll, assistant state soil scientist, in November 1989. It was started during the comprehensive review held October, 1987 and the final review held September, 1988. Robert I. Turner, soil scientist, national soil classification staff, national soil survey center, participated in the comprehensive review. Decisions were made based on pedon data, soil correlation samples, soil maps, field review reports, and a draft of the manuscript.

Headnote for Detailed Soil Survey Legend:

Map symbols consist of numbers, or a combination of numbers and letters. The initial numbers represent the kind of soil. A capital letter following those numbers indicates the class of slope. Symbols without a slope letter are for nearly level soils. A final number of 2 following the slope letter indicates that the soil is moderately eroded, and 3 indicates that it is severely eroded.

SOIL CORRELATION OF JO DAVIESS COUNTY, ILLINOIS

Field symbols	Field map unit name	Publi- cation symbol	unit name
119D2, 194D2,	Miami silt loam, 10 to 15 percent slopes, eroded	27D2	Miami silt loam, 10 to 15 percent slopes, eroded
29C2, 29B	Dubuque silt loam, 4 to 10 percent slopes, eroded	29C2	Dubuque silt loam, 4 to 10 percent slopes, eroded
29D2, 29D, 40D2	Dubuque silt loam, 10 to 15 percent slopes, eroded	29D2	Dubuque silt loam, 10 to 15 percent slopes, eroded
	Tama silt loam, 1 to 5 percent slopes	36B	Tama silt loam, 2 to 5 percent slopes
36C Balk ad	Tama silt loam, 5 to 10 percent slopes	36C	Tama silt loam, 5 to 10 percent slopes
41B, 41A	Muscatine silt loam, 1 to 3 percent slopes	41B	Muscatine silt loam, 1 to 3 percent slopes
53D, 768D, 779D	Bloomfield loamy fine sand, 7 to 15 percent slopes	53D	Bloomfield loamy fine sand, 7 to 15 percent slopes
61B, 61A, 104	Atterberry silt loam, 1 to 3 percent slopes	61B	Atterberry silt loam, 1 to 3 percent slopes
68, 45, 125, 272	Sable silty clay loam	68	 Sable silty clay loam
87A	Dickinson fine sandy loam, 0 to 3 percent slopes	87A	Dickinson fine sandy loam, 0 to 3 percent slopes
88B, 87B, 779E	Sparta loamy sand, 2 to 7 percent slopes	88B	Sparta loamy sand, 1 to 7 percent slopes
88D	Sparta loamy sand, 7 to 15 percent slopes	88D	Sparta loamy sand, 7 to 15 percent slopes

JO DAVIESS COUNTY, ILLINOIS -- Continued

Field symbols	Field map unit name	Publi- cation symbol	unit name
	Elco silt loam, 5 to 10 percent slopes, eroded	119C2	Elco silt loam, 5 to 10 percent slopes, eroded
172, 102, 571B, 647	Hoopeston loam	172	Hoopeston loam
175B, 131B, 175A, 779B	Lamont very fine sandy loam, 1 to 7 percent slopes	175B	Lamont fine sandy loam, 1 to 7 percent slopes
	Lamont loam, 7 to 15 percent slopes, eroded	175D2	Lamont fine sandy loam, 7 to 15 percent slopes, eroded
261, 234, 261B, 262, 568	Niota silt loam	261	Niota silt loam
274B2, 75A, 75B, 268B, 274B	Seaton silt loam, 2 to 5 percent slopes	274B2	Seaton silt loam, 2 to 5 percent slopes, eroded
274C2, 274C, 943C2	Seaton silt loam, 5 to 10 percent slopes, eroded	274C2	Seaton silt loam, 5 to 10 percent slopes, eroded
274D2, 274D, 943D2, 962D2	Seaton silt loam, 10 to 15 percent slopes, eroded	274D2	Seaton silt loam, 10 to 15 percent slopes, eroded
	Seaton silt loam, 15 to 25 percent slopes, eroded	274E2	Seaton silt loam, 15 to 25 percent slopes, eroded
274F, 131F, 134F, 134G, 175F, 175G, 274G, 570G, 943F, 962F	Seaton silt loam, 25 to 45 percent slopes	274F	 Seaton silt loam, 25 to 45 percent slopes

JO DAVIESS COUNTY, ILLINOIS --Continued

Field symbols	Field map unit name	Publi- cation symbol	unit name
278B, 278, 278A	Stronghurst silt loam, 1 to 3 percent slopes	278B	Stronghurst silt loam, 1 to 3 percen slopes
279B, 233B, 279A	Rozetta silt loam, 1 to 5 percent slopes		Rozetta silt loam, 2 to 5 percent slopes
279C2, 278C, 279C	Rozetta silt loam, 5 to 10 percent slopes, eroded	8	
279D2, 233D2, 386D2	Rozetta silt loam, 10 to 15 percent slopes, eroded	eg ,S	to 15 percent
280B2, 280B	Fayette silt loam, 2 to 5 percent slopes		Fayette silt loam, 2 to 5 percent slopes eroded
280C2, 280C	Fayette silt loam, 5 to 10 percent slopes, eroded		Fayette silt loam, ! to 10 percent slopes, eroded
	Fayette silt loam, 10 to 15 percent slopes, eroded	888	
279E2, 280E,	Fayette silt loam, 15 to 25 percent slopes, eroded	Seat	
280F, 243F, 429G, 429F, 280G	Fayette silt loam, 25 to 40 percent slopes		 Fayette silt loam, : to 40 percent slope
386B, 105A, 105B, 386A	Downs silt loam, 1 to 5 percent slopes	386B	Downs silt loam, 2 to 5 percent slopes
386C2, 36C2, 105C2	Downs silt loam, 5 to 10 percent slopes, eroded	386C2	Downs silt loam, 5 10 percent slopes, eroded
403D, 504D	 Elizabeth silt loam, 7 to 15 percent slopes	403D	 Elizabeth silt loam 7 to 15 percent slopes

JO DAVIESS COUNTY, ILLINOIS --Continued

Field	Field map	Publi-	
symbols	unit name	cation	unit name
417B	Derinda silt loam, 2 to 5 percent slopes	417B	Derinda silt loam, 2 to 5 percent slopes
417C2	Derinda silt loam, 5 to 10 percent slopes, eroded	417C2	Derinda silt loam, 5 to 10 percent slopes, eroded
417D2	Derinda silt loam, 10 to 15 percent slopes, eroded		Derinda silt loam, 10 to 15 percent slopes, eroded
417E2, 417E, 418E2, 417F2	Derinda silt loam, 15 to 25 percent slopes, eroded	417E2	Derinda silt loam, 15 to 25 percent slopes, eroded
417F, 417G	Derinda silt loam, 25 to 45 percent slopes		Derinda silt loam, 25 to 45 percent slopes
418B	Schapville silt loam, 2 to 5 percent slopes		Schapville silt loam, 2 to 5 percent slopes
418C2	Schapville silt loam, 5 to 10 percent slopes, eroded	418C2	Schapville silt loam, 5 to 10 percent slopes, eroded
418D2	Schapville silt loam, 10 to 15 percent slopes, eroded	418D2	Schapville silt loam, 10 to 15 percent slopes, eroded
419B2, 419B	Flagg silt loam, 2 to 5 percent slopes	419B2	Flagg silt loam, 2 to 5 percent slopes, eroded
419C2, 194C2, 212C	Flagg silt loam, 5 to 10 percent slopes, eroded	419C2	Flagg silt loam, 5 to 10 percent slopes, eroded
429B2, 29B, 429B	Palsgrove silt loam, 2 to 5 percent slopes	429B2	Palsgrove silt loam, 2 to 5 percent slopes, eroded
429C2	Palsgrove silt loam, 5 to 10 percent slopes, eroded	429C2	Palsgrove silt loam, 5 to 10 percent slopes, eroded

JO DAVIESS COUNTY, ILLINOIS --Continued

	Field symbols	Field map unit name	Publi- cation	
-			symbol	
	429D2, 429D	Palsgrove silt loam, 10 to 15 percent slopes, eroded	429D2	Palsgrove silt loam, 10 to 15 percent slopes, eroded
	429E2, 429E, 429F2	Palsgrove silt loam, 15 to 25 percent slopes, eroded	429E2	Palsgrove silt loam, 15 to 25 percent slopes, eroded
	536	Dumps, mine	536	Dumps, mine
	540C2, 40B, 40C2	Frankville silt loam, 4 to 10 percent slopes, eroded		Frankville silt loam 4 to 10 percent slopes, eroded
	547C2	Eleroy silt loam, 5 to 10 percent slopes, eroded	547C2	Eleroy silt loam, 5 to 10 percent slopes, eroded
	547D2, 755D2, 6279D, 6280D	Eleroy silt loam, 10 to 15 percent slopes, eroded	547D2	Eleroy silt loam, 10 to 15 percent slopes, eroded
	547E2, 547E, 547F2	Eleroy silt loam, 15 to 25 percent slopes, eroded	547E2	Eleroy silt loam, 15 to 25 percent slopes, eroded
	565B, 134A, 134B, 148B, 243B, 565A, 570A, 570B,	Tell silt loam, 2 to 5 percent slopes	565B	5 percent slopes
	726B	Silt losm, 2 tol siles	1816	G619 /ZE619
	565C2, 134C2, 134D2, 726C, 570C2, 565C	Tell silt loam, 5 to 10 percent slopes, eroded	565C2	Tell silt loam, 5 to 10 percent slopes, eroded
	569C2, 576B, 576C, 576D2, 576C2	Zwingle silt loam, 3 to 12 percent slope, eroded		Medary silty clay
	569F2, 576E, 576F	Medary silty clay loam, 15 to 45 percent slopes, eroded	569F2	Medary silty clay loam, 15 to 45 percent slopes, eroded

JO DAVIESS COUNTY, ILLINOIS --Continued

V	Field symbols	Field map unit name	Publi- cation symbol	unit name
	572B, 572A, 572C2, 743B, 743C2	Loran silty clay loam, 3 to 7 percent slopes	572B	 Loran silty clay loam, 3 to 7 percen slopes
	576, 576A	Zwingle silt loam, 0 to 3 percent slopes	576	Zwingle silt loam
	681E, PC-D2, PC-E2	Dubuque silt loam, pitted, 12 to 25 percent slopes	681E	Dubuque-Orthents- Fayette complex, 12 to 25 percent slopes, pitted
	731B, 411B	Nasset silt loam, 2 to 5 percent slopes	731B	Nasset silt loam, 2 to 5 percent slopes
	731C2, 411C2	Nasset silt loam, 5 to 10 percent slopes, eroded	731C2	Nasset silt loam, 5 to 10 percent slopes, eroded
	731D2, 411D2	Nasset silt loam, 10 to 15 percent slopes, eroded	731D2	Nasset silt loam, 10 to 15 percent slopes, eroded
	743B, 6547B, 547B	Eleroy Variant silt loam, 2 to 5 percent slopes	732B	Appleriver silt loam 2 to 5 percent slopes
	745B, 744, 744C, 745A, 745C, 746	Shullsburg silt loam, 3 to 7 percent slopes	745B	Shullsburg silt loam 3 to 7 percent slopes
	753B, 546B, 753A	Massbach silt loam, 2	753B	 Massbach silt loam, to 5 percent slopes
	753C2, 546C, 546C2	Massbach silt loam, 5 to 10 percent slopes, eroded		Massbach silt loam, to 10 percent slopes, eroded
	753D2, 546D2	Massbach silt loam, 10 to 15 percent slopes, eroded		Massbach silt loam, 10 to 15 percent slopes, eroded
	754G, 755E2,	Lamoille silt loam, 15 to 30 percent slopes, eroded	755F2	Lamoille silt loam, 15 to 30 percent slopes, eroded

JO DAVIESS COUNTY, ILLINOIS -- Continued

Field symbols	Field map unit name	Publi- cation symbol	unit name
779F, 779E, 779G	Chelsea loamy fine sand, 20 to 45 percent slopes	779F	 Chelsea loamy fine sand, 20 to 45 percent slopes
785F, 504E	Lacrescent silt loam, 15 to 30 percent slopes		Lacrescent silt lo 15 to 30 percent slopes
785G, 29F, 29G, 504G	Lacrescent silty clay loam, 30 to 50 percent slopes	785G	Lacrescent silty c. loam, 30 to 50 percent slopes
800	Psamments, nearly level	800	Psamments, nearly level
801B	Orthents silty, undulating	801B	Orthents silty, undulating
864, 865	Pits, quarries	864	Pits, quarries
873D2, 505C2, 505D2	Dunbarton-Dubuque		Dunbarton-Dubuque silt loams, 7 to percent slopes, eroded
873E2, 29E, 29E2, 505E2, 973E, 873F2	Dunbarton-Dubuque		Dunbarton-Dubuque silt loams, 15 to percent slopes, eroded
905F, 6973E, 6973F, 905E	NewGlarus-Lamoille silt loams, 15 to 35 percent slopes,	905F	NewGlarus-Lamoille silt loams, 15 to percent slopes,
928D2	NewGlarus-Palsgrove	928D2	NewGlarus-Palsgrove
1334, V334, 334	Birds silt loam, wet	1334	Birds silt loam, we
3077, 77	Huntsville silt loam		 Huntsville silt loa frequently flooded

JO DAVIESS COUNTY, ILLINOIS --Continued

	Alberta Transport of the Control of		
Field symbols	Field map unit name	Publi- cation symbol	
3333, 6333, 333	Wakeland silt loam	/3333	Wakeland silt loam, frequently flooded
3451, 74, 81, 76, 451	Lawson silt loam	3451	Lawson silt loam, frequently flooded
3579, 578, 579	Beavercreek silt loam	3579	Beavercreek silt loam, frequently flooded
7430B, 37, 37A, 37B, 105A, 105B, 199B, 268B,	Raddle silt loam, 1 to 4 percent slopes	7430B	Raddle silt loam, 1 to 4 percent slopes, rarely flooded
430, 430A, 440A, 440B, 430B	The join is as: ferences in map are: in the state office	9435 F	Land Care
8070, 70+, 107, 107+, 103, 210, 70	Beaucoup silty clay loam	8070	Beaucoup silty clay loam, occasionally flooded
8239, 33109, 239	Dorchester silt loam	8239	Dorchester silt loam, occasionally flooded
8284, 284	Tice silt loam	8284	Tice silt loam, occasionally flooded
8366, V49, V88, 366	Algansee fine sandy loam	8366	Algansee fine sandy loam, occasionally flooded
8415, 415	Orion silt loam	8415	Orion silt loam, occasionally flooded
W	Water	W	Water

Series Established by this Correlation: Elizabeth and Appleriver

Series Dropped or Made Inactive: None

Series Type Location in the Survey Area: Elizabeth and Appleriver

Certification Statement: 01 3188 nosws1

The state soil scientist certifies that:

- 1. Soil mapping was completed in 1987.
- 2. Jo Daviess County joins the published soil surveys of Carroll and Stephenson Counties, Illinois and Grant and Lafayette Counties, Wisconsin. The joins with Grant and Lafayette Counties, Wisconsin have been coordinated with Wisconsin. The joining has been checked for both the general soil maps and the detailed soil maps. The join is satisfactory and the detailed explanation of differences in map symbols and the names of map units are on file in the state office in Champaign, Illinois.
- 3. Interpretations have been coordinated with adjoining survey areas. The manuscript agrees with the soil interpretations records except as noted in this Correlation Memorandum.
- 4. The location of all typical pedons is correct and are within soil delineations using that name. The locations have been checked and verified by the survey leader.
- 5. All publication symbols will be those shown as approved in the conversion legend of the Correlation Memorandum.
- 6. All typifying pedons used for classification are accurately classified according to Soil Taxonomy.
- 7. Soil maps have been reviewed for completeness, accuracy, and consistency.

Verification of Exact Cooperator Names:

For the front cover, general soil map, and half-title page:

United States Department of Agriculture Soil Conservation Service in Cooperation with Illinois Agricultural Experiment Station

The cooperators to be listed on the inside of the front cover are the same as those on the front cover and in addition state: "It is part of the technical assistance provided to the Jo Daviess County Soil and Water Conservation District. Financial

assistance was made available by the Jo Daviess County Board and the Illinois Department of Agriculture. This soil survey is Illinois Agricultural Experiment Station Soil Report No. 145."

Disposition of Field Sheets:

The soil maps have been compiled at a scale of 1:15,840. The compiled maps, field sheets, names overlay, topographic maps, and all map materials have been delivered to the map finishing unit at the state office. Copies made from the compiled maps are in the Jo Daviess County field office and one copy is with the survey leader now in Cumberland County.

Prior Soil Survey Publication:

Instructions for Map Compilation and Map Finishing:

Map compilation has been completed by the survey staff and the compiled maps, all map compilation materials, and the field maps are currently with the map finishing unit in the Illinois state office. Map finishing will be done in the map finishing unit at the Illinois state office using the soil identification legend and symbols legend in this Correlation Memorandum.

Symbols for map finishing have been ordered and agree with the mapping unit symbols in this Correlation Memorandum.

CONVENTIONAL AND SPECIAL

U.S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE

Dare: Jan. 1990

Soil Survey Area:_ llinois Share: -

SYMBOLS LEGEND

DESCRIPTION SYMBOL DESCRIPTION SYMBOL DESCRIPTION SYMBOL CULTURAL FEATURES (cont.) SPECIAL SYMBOLS FOR CULTURAL FEATURES SOIL SURVEY SOIL DELINEATIONS AND SOIL SYMBOLS 29C2 29D2 WATER FEATURES STATE COORDINATE TICK ROAD EMBLEMS & DESIGNATIONS :0 0 RECOMMENDED AO HOC SOIL SYMBOLS Muck Spot Calcareous Spot ISCELLANEOUS WATER FEATURES LEVEES Glacial Till Spot Hand Dug Mine

SOIL SURVEY JO DAVIESS COUNTY, ILLINOIS JANUARY 1990

PRIME FARMLAND

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name)

Map symbol	Soil name
36B 41B 61B 68 87A 172	Tama silt loam, 2 to 5 percent slopes Muscatine silt loam, 1 to 3 percent slopes Atterberry silt loam, 1 to 3 percent slopes Sable silty clay loam (where drained) Dickinson fine sandy loam, 0 to 3 percent slopes Hoopeston loam
175B 261 274B2 278B 279B 280B2	Lamont fine sandy loam, 1 to 7 percent slopes Niota silt loam (where drained) Seaton silt loam, 2 to 5 percent slopes, eroded Stronghurst silt loam, 1 to 3 percent slopes Rozetta silt loam, 2 to 5 percent slopes Fayette silt loam, 2 to 5 percent slopes, eroded
419B2 429B2 565B 572B 731B	Downs silt loam, 2 to 5 percent slopes Flagg silt loam, 2 to 5 percent slopes, eroded Palsgrove silt loam, 2 to 5 percent slopes, eroded Tell silt loam, 2 to 5 percent slopes Loran silty clay loam, 3 to 7 percent slopes Nasset silt loam, 2 to 5 percent slopes
732B 745B 753B 3077	Appleriver silt loam, 2 to 5 percent slopes Shullsburg silt loam, 3 to 7 percent slopes Massbach silt loam, 2 to 5 percent slopes Huntsville silt loam, frequently flooded (where protected from flooding or not frequently flooded during the growing season)
3333	Wakeland silt loam, frequently flooded (where drained and either protected from flooding or not frequently flooded during the growing season)
3451	Lawson silt loam, frequently flooded (where protected from flooding or not frequently flooded during the growing season)
3579	Beavercreek silt loam, frequently flooded (where protected from flooding or not frequently flooded during the growing season)
7430B 8070	Raddle silt loam, 1 to 4 percent slopes, rarely flooded Beaucoup silty clay loam, occasionally flooded (where drained)

PRIME FARMLAND -- Continued

Map symbol	Soil name
8239 8284 8415	Dorchester silt loam, occasionally flooded Tice silt loam, occasionally flooded Orion silt loam, occasionally flooded

APPROVED January 10, 1990

Robert L. McLeese State Soil Scientist Illinois State Office

CONVERSION LEGEND FOR JO DAVIESS COUNTY, ILLINOIS

Publi-				Publi- Publi-			- Publi-	
	Field	cation		cation		cation	Field	cation
-	symbol	symbol	symbol	symbol	symbol	symbol	symbol	symbol
	PC-D2 PC-E2 V49 V88 V334	681E 681E 8366 8366 1334	75A 75B 76 77		175E 175E2 175F 175G 194C2	274F	278B 278C 279A 279B 279C	278B 279C2 279B 279B 279C2
	W 8D2 21D2 27C2 27D2	W 27D2 27D2 119C2 27D2	87A 87B 88B 88D 102	87A 88B 88B 88D 172	194C2 194D2 194E2 199B 199B	419C2 27D2 27D2 36B 7430B	279C2 279D2 279E2 280B 280B2	279C2 279D2 280E2 280B2 280B2
	29B 29B 29C2 29D 29D2	29C2 429B2 29C2 29D2 29D2	103 104 105A 105A 105B	8070 61B 386B 7430B 386B	210 212C 233B 233C2 233D2	8070 419C2 279B 119C2 279D2	280C 280C2 280D 280D 280D2 280E	280C2 280C2 280D2 280D2 280E2
	29E 29E2 29F 29G 36A	873E2 873E2 785G 785G 36B	105B 105C2 105E2 107 107+	7430B 386C2 280E2 8070 8070	234 239 243B 243F 259C2	261 8239 565B 280F 119C2	280E2 280F 280F2 280G 284	280E2 280F 280E2 280F 8284
	36B 36B2 36C 36C2 37	36B 36B 36C 386C2 7430B	119C2 119D2 125 131B 131F	119C2 27D2 68 175B 274F	259D2 261 261B 262 268B	27D2 261 261 261 274B2	333 334 366 386A 386B	3333 1334 8366 386B 386B
	37A 37B 40B 40C2 40D2	7430B 7430B 540C2 540C2 29D2	134A 134B 134C2 134D2 134F	565B 565B 565C2 565C2 274F	268B 272 274B 274B2 274C	7430B 68 274B2 274B2 274C2	386C2 386D2 386D2 403D 411B	386C2 279D2 280D2 403D 731B
	41A 41B 45 53D 61A	41B 41B 68 53D 61B	134G 148B 171B2 171C2 172	274F 565B 36B 119C2 172	274C2 274D 274D2 274E 274E2	274C2 274D2 274D2 274E2 274E2	411C2 411D2 415 417B 417C2	731C2 731D2 8415 417B 417C2
	61B 68 70 70+ 74	61B 68 8070 8070 3451	175A 175B 175C 175D 175D2	175B 175B 175D2 175D2 175D2	274G 278	274F 274E2 274F 278B 278B	417D2 417E 417E2 417F 417F2	417D2 417E2 417E2 417F 417E2

Field symbol	Publi- cation symbol	Field symbol	Publi- cation symbol	 Field symbol	Publi- cation symbol	Field symbol	Publi- cation symbol
417G	417F	547E	547E2	731D2	731D2	943C2	274C2
418B	418B	547E2	547E2	743B	572B	943D2	274D2
418C2	418C2	547F2	547E2	743B	732B	943E2	274E2
418D2	418D2	565A	565B	743C2	572B	943F	274F
418E2	417E2	565B	565B	744	745B	962D2	274D2
419B	419B2	565C	565C2	744C	745B	962D2	280D2
419B2	419B2	565C2	565C2	745A	745B	962E2	274E2
419C2	419C2	565D2	175D2	745B	745B	962E2	280E2
419D2	27D2	568	261	745C	745B	962F	274F
429B	429B2	569C2	569C2	746	745B	973E	873E2
429B2	429B2	569F2	569F2	753A	753B	1334	1334
429C2	429C2	570A	565B	753B	753B	3077	3077
429D	429D2	570B	565B	753C2	753C2	3333	3333
429D2	429D2	570C2	565C2	753C2	753D2	3451	3451
429E	429E2	570D2	175D2	754F	755F2	3579	3579
429E2	429E2	570E	274E2	754G	755F2	5700	175D2
429F	280F	570E2	274E2	755D2	547D2	6279D	547D2
429F2	429E2	570F	274E2	755E2	755F2	6280D	547D2
429G	280F	570G	274F	755F2	755F2	6280E	755F2
430	7430B	571B	172	768D	53D	6333	3333
430A 430B 440A 440B 451	7430B 7430B 7430B 7430B 3451	572A 572B 572C2 576 576A	572B 572B 572B 572B 576 576	779B 779B 779D 779E 779F	88B 175B 53D 779F 779F	6547B 6973E 6973F 7430B 8070	732B 905F 905F 7430B 8070
504D	403D	576B	569C2	779G	779F	8239	8239
504E	785F	576C	569C2	785F	785F	8284	8284
504G	785G	576C2	569C2	785G	785G	8366	8366
505C2	873D2	576D2	569C2	800	800	8415	8415
505D2	873D2	576E	569F2	801B	801B	33109	8239
505E2 536 540C2 546B 546C	873E2 536 540C2 753B 753C2	578 579 647	569F2 3579 3579 172 681E	864 865 873D2 873E2 873F2	864 864 873D2 873E2 873E2	A.2.4 1.2.4 7.7.7 7.7.7	
546C2 546D2 547B 547C2 547D2	753C2 753D2 732B 547C2 547D2	726B 726C 726D 731B 731C2	565B 565C2 175D2 731B 731C2	905E 905F 907E2 907F 928D2	905F 905F 755F2 755F2 928D2		

LEGEND OF MAP UNITS ACCORDING TO ALPHABETICAL SEQUENCE JO DAVIESS COUNTY, ILLINOIS

MAP SYMBOL	MAPPING UNIT NAME	28002 28002
8366	ALGANSEE FINE SANDY LOAM, OCCASIONALLY FLOODED	2805
732B	APPLERIVER SILT LOAM, 2 TO 5 PERCENT SLOPES	
61B	ATTERBERRY SILT LOAM, 1 TO 3 PERCENT SLOPES	
8070	BEAUCOUP SILTY CLAY LOAM, OCCASIONALLY FLOODED	
3579	BEAVERCREEK SILT LOAM, FREQUENTLY FLOODED	
1334	BIRDS SILT LOAM, WET	
53D	BLOOMFIELD LOAMY FINE SAND, 7 TO 15 PERCENT SLOPES	
779F	CHELSEA LOAMY FINE SAND, 20 TO 45 PERCENT SLOPES	
417C2	DERINDA SILT LOAM, 2 TO 5 PERCENT SLOPES DERINDA SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED	
417D2	DERINDA SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED DERINDA SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED	
	DERINDA SILT LOAM, 25 TO 45 PERCENT SLOPES	
87A	DICKINSON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	
8239	DORCHESTER SILT LOAM, OCCASIONALLY FLOODED	
386B 386C2	DOWNS SILT LOAM, 2 TO 5 PERCENT SLOPES DOWNS SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED	
29C2 29D2	DUBUQUE SILT LOAM, 4 TO 10 PERCENT SLOPES, ERODED DUBUQUE SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED	
681E	DUBUQUE-ORTHENTS-FAYETTE COMPLEX, 12 TO 25 PERCENT	SLOPES, PITTEL
536	DUMPS, MINE	
	DUNBARTON-DUBUQUE SILT LOAMS, 7 TO 15 PERCENT SLOP DUNBARTON-DUBUQUE SILT LOAMS, 15 TO 25 PERCENT SLO	
119C2	ELCO SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED	
547D2	ELEROY SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED ELEROY SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED ELEROY SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED	
54/EZ	EDEROI SILI DOMI, IS TO 25 PERCENT SHOPES, ERODED	
403D	ELIZABETH SILT LOAM, 7 TO 15 PERCENT SLOPES	

MAP SYMBOL	MAPPING UNIT NAME
280C2 280D2 280E2	FAYETTE SILT LOAM, 2 TO 5 PERCENT SLOPES, ERODED FAYETTE SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED FAYETTE SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED FAYETTE SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED FAYETTE SILT LOAM, 25 TO 40 PERCENT SLOPES
	FLAGG SILT LOAM, 2 TO 5 PERCENT SLOPES, ERODED FLAGG SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED
540C2	FRANKVILLE SILT LOAM, 4 TO 10 PERCENT SLOPES, ERODED
172	HOOPESTON LOAM
3077	HUNTSVILLE SILT LOAM, FREQUENTLY FLOODED
785F 785G	LACRESCENT SILT LOAM, 15 TO 30 PERCENT SLOPES LACRESCENT SILTY CLAY LOAM, 30 TO 50 PERCENT SLOPES
755F2	LAMOILLE SILT LOAM, 15 TO 30 PERCENT SLOPES, ERODED
175B 175D2	LAMONT FINE SANDY LOAM, 1 TO 7 PERCENT SLOPES LAMONT FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED
3451	LAWSON SILT LOAM, FREQUENTLY FLOODED
572B	LORAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES
753C2	MASSBACH SILT LOAM, 2 TO 5 PERCENT SLOPES MASSBACH SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED MASSBACH SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED
	MEDARY SILTY CLAY LOAM, 3 TO 12 PERCENT SLOPE, ERODED MEDARY SILTY CLAY LOAM, 15 TO 45 PERCENT SLOPES, ERODED
27D2	MIAMI SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED
41B	MUSCATINE SILT LOAM, 1 TO 3 PERCENT SLOPES
	NASSET SILT LOAM, 2 TO 5 PERCENT SLOPES NASSET SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED NASSET SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED
905F	NEWGLARUS-LAMOILLE SILT LOAMS, 15 TO 35 PERCENT SLOPES,
928D2	NEWGLARUS-PALSGROVE SILT LOAMS, 7 TO 15 PERCENT SLOPES, ERODED
261	NIOTA SILT LOAM
8415	ORION SILT LOAM, OCCASIONALLY FLOODED
801B	ORTHENTS SILTY, UNDULATING

MAP SYMBOL	MAPPING UNIT NAME
429C2 429D2	PALSGROVE SILT LOAM, 2 TO 5 PERCENT SLOPES, ERODED PALSGROVE SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED PALSGROVE SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED PALSGROVE SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED
864	PITS, QUARRIES
	PSAMMENTS, NEARLY LEVEL
7430B	RADDLE SILT LOAM, 1 TO 4 PERCENT SLOPES, RARELY FLOODED
279C2	ROZETTA SILT LOAM, 2 TO 5 PERCENT SLOPES ROZETTA SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED ROZETTA SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED
68	SABLE SILTY CLAY LOAM
418C2	SCHAPVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES SCHAPVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED SCHAPVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED
274C2 274D2 274E2	SEATON SILT LOAM, 2 TO 5 PERCENT SLOPES, ERODED SEATON SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED SEATON SILT LOAM, 10 TO 15 PERCENT SLOPES, ERODED SEATON SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED SEATON SILT LOAM, 25 TO 45 PERCENT SLOPES
745B	SHULLSBURG SILT LOAM, 3 TO 7 PERCENT SLOPES
88B 88D	SPARTA LOAMY SAND, 1 TO 7 PERCENT SLOPES SPARTA LOAMY SAND, 7 TO 15 PERCENT SLOPES
278B	STRONGHURST SILT LOAM, 1 to 3 PERCENT SLOPES
36B 36C	TAMA SILT LOAM, 2 TO 5 PERCENT SLOPES TAMA SILT LOAM, 5 TO 10 PERCENT SLOPES
565B 565C2	TELL SILT LOAM, 2 TO 5 PERCENT SLOPES TELL SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED
8284	TICE SILT LOAM, OCCASIONALLY FLOODED
3333	WAKELAND SILT LOAM, FREQUENTLY FLOODED
W	WATER
576	ZWINGLE SILT LOAM

. .

1. Laboratory Data from Illinois Agricultural Experiment Station for which SCS-SOI-8 forms have been prepared:

Sampled As	Sample No.	Publication Map Symbol	Approved Classification
Ashdale	76IL-085-005	731C2 MAGE	Ashdale, included in map unit of Nasset.
Atterberry	76IL-085-034	61B	Atterberry, typical pedon
Loran	78IL-085-022	572 TOT I MA	Calamine, taxadjunct; fine- silty, mixed, mesic Typic Haplaquoll; mapped in Loran map unit.
Chelsea MOSE	77IL-085-023	779F	Chelsea, slightly more fine and very fine sand than typical; lamella are deep in profile.
Denrock	76IL-085-030	261 MAGE T	Darwin, taxadjunct very-fine, montmorillonitic, mesic Typic Argiaquoll; mapped as inclusion in Niota.
Denny 33008	85IL-085-007	68	Denny, taxadjunct, fine-silty, mixed, mesic Mollic Ochraqualf; mapped as inclusion in Sable.
Denny	85IL-085-028	68	Denny, taxadjunct, fine-silty, mixed, mesic Mollic Ochraqualf; mapped as inclusion in Sable.
Derinda	77IL-085-045	417E2	Derinda, taxadjunct fine- silty, mixed, mesic, Typic Hapludalf
Downs	78IL-085-007	731B	Downs, included in map unit of Nasset.
Dunbarton	78IL-085-032	873D2	Dunbarton, typical pedon
Fayette	76IL-085-004	280B2	Fayette, typical pedon
Sparta	76IL-085-010	88B	Finchford, mapped as inclusion in Sparta.
lagg	77IL-085-037	419B	Flagg, typical pedon; taxadjunct fine-silty, mixed, mesic Typic Paleudalf.

		Map Symb	ion Approved ol Classification
Gratiot	76IL-085-033	745B	Gratiot, taxadjunct clay
			content not in fine family, classifies as fine-silty
			Mixed, mesic Aquollic Hapludalf mapped as inclusi
			in Shullsburg map unit
Huntsville	77IL-085-009	3077	Huntsville, typical pedon
Dorchester	78IL-085-028	8239	Jules, mapped as inclusion
			Dorchester.
Dorerton	86IL-085-008	905E	Lamoille, map unit pedon
Dorerton	86IL-085-013	907E2	Lamoille, low content of
			coarse fragments in erosions sediments
Lamont	77IL-085-002	175B	Lamont, typical pedon.
Morley	77IL-085-038	27D2	Morley, mapped as inclusion Miami.
Muscatine	76IL-085-028	41B	Muscatine, soil has maximum clay content in Bt horizon.
Vasset	76IL-085-023	29C2	Nasset, mapped as inclusion Dubuque
NewGlarus	86IL-085-017	928D2	NewGlarus, pedon for map uni
Batavia	77IL-085-045	386B	Plano, included in mapping unit of Downs
Raddle	77IL-085-013	7430B	Raddle, sand content avg=16. in control section but was no fractionated; assume <15% coarser than very fine.
ozetta	76IL-085-002	279B	Rozetta, typical pedon.
chapville	78IL-085-010	418B	Schapville, typical pedon
eaton	70IL-085-016	274C2	Seaton
hullsburg	78IL-085-021	745B	Shullsburg, typical pedon
parta	76IL-085-006	88B	Sparta
ama	78IL-085-012	36B	Tama, typical pedon

Sampled As	Sample No.	Publication Map Symbol	Approved Classification
Tama	78IL-085-013	36B	Tama
Tell	77IL-085-003	565B	Tell, loamy substratum
Tell	78IL-085-023	565B	Tell, typical pedon
Timula	77IL-085-019	274E2	Timula, taxadjunct (weak argillic) coarse-silty, mixed mesic, Typic Hapludalf; inclusion in 274E2 Seaton.
Timula	77IL-085-042	280E2	Timula, taxadjunct fine-silty mixed, mesic, Typic Eutrochrept; mapped as inclusion in Fayette.
Wakeland Varia	ant78IL-085-025	801B	Wakeland, taxadjunct; fine- silty, mixed, nonacid, mesic aeric Fluvaquent; area has
			been disturbed and is mapped as Orthents.

2. Laboratory Data from Illinois Department of Transportation for which SCS-SOI-10 forms have been prepared:

Sampled As	Sample No.	Publication Map Symbol	Approved Classificati	.on	
Schapville	78IL-085-010	418B	Schapville,	typical	pedon
Shullsburg	78IL-085-021	745B	Shullsburg,	typical	pedon

Notes to Accompany the Classification and Correlation of the Soils of Jo Daviess County, Illinois by John C. Doll and Robert I. Turner

In many series and mapping unit pedons the thickness of individual layers was not within the range of the official series description. The differences were only a matter of a few inches and did not effect the taxonomic placement of the soil or violate the series concept. Notes to this effect are omitted from the notes for individual series.

ALGANSEE SERIES

APPLERIVER SERIES

This series is established with this correlation. The soils were mapped and referred to during the survey as Eleroy Variant. These soils are morphologically similar to Eleroy soils except that they are somewhat poorly drained.

ATTERBERRY SERIES

BEAUCOUP SERIES

BEAVERCREEK SERIES alds dalw bedalides

formed in these materials on these land These soils are moderately well drained and are calcareous throughout. They are taxadjuncts that classify as loamyskeletal, mixed, (calcareous), mesic Typic Udifluvents.

BIRDS SERIES

BLOOMFIELD SERIES

CHELSEA SERIES

DERINDA SERIES

DICKINSON SERIES

The Bw horizon is too sandy (loamy fine sand) in the lower part, but the depth to this texture is within the series concept.

DORCHESTER SERIES

DOWNS SERIES

These soils are on terraces. They have chroma of 3 in the lower part of the Bt horizon, and have mottles with chroma of 2 a little higher in the profile than defined for the series. Mapping unit 386B Downs silt loam, 2 to 5 percent slopes has chroma of 4 in the BE horizon.

DUBUQUE SERIES pring prings brackets

These soils do not have a significant content of coarse fragments in the residuum and the manuscript tables will be adjusted. Also, the reaction is slightly higher than the series allows and the tables will be adjusted.

DUNBARTON SERIES

These soils have chroma 2 clay films in the residuum. The typical pedon in the county has PSD data that is slightly outside the clay ranges on the SIR and the tables will be adjusted to accommodate the data.

ELCO SERIES

ELEROY SERIES

ELIZABETH SERIES

This series is established with this correlation. The soils that formed in these materials on these landscapes in Illinois were previously mapped as taxadjuncts to the Sogn soils.

FAYETTE SERIES

These soils are not as acid in the most acid part of the profile as defined for the series. The tables will be adjusted. It is not uncommon for these soils to have bright mottles in the middle and lower parts of the profile. A "pitted" phase is established for a unique landscape where shallow, hand-dug lead mines have disturbed a significant portion of the land surface.

FLAGG SERIES

These soils do not have a 20 percent decrease in clay content below the argillic horizon and are taxadjuncts that classify as fine-silty, mixed, mesic Typic Paleudalfs. The tables will be adjusted to accommodate the higher clay content in the lower part of the profile. In mapping unit 419C2 Flagg silt loam, 5 to 10 percent slopes, eroded the reaction is higher (neutral) in the upper part of the Bt horizon than defined for the series. The tables will be adjusted.

FRANKVILLE SERIES

These soils are not as acid in the most acid part of the profile as defined for the series. They also have 2 chroma mottles in the lower part of the Bt horizon.

HOOPESTON SERIES

HUNTSVILLE SERIES

LACRESCENT SERIES

These soils are calcareous throughout and the tables will be adjusted.

LAMOILLE SERIES

These soils are on foot slopes. They have carbonates as shallow as 16 inches. Tables will be adjusted.

LAMONT SERIES

These soils are not as acid in the most acid part of the profile as defined for the series; tables will be adjusted. The Bt part of the EandBt horizon has more clay (fine sandy loam) than defined for the series; the tables will be adjusted.

LAWSON SERIES

LORAN SERIES

MASSBACH SERIES

MEDARY SERIES

These soils have a stratified layer below the lacustrine materials which is allowed in the series but is not recognized in the SIR. In mapping unit 569C2 Medary silty clay loam, 3 to 12 percent slopes, eroded the solum is thicker and the lacustrine materials are not as red as defined for the series.

MIAMI SERIES

These soils formed in Illinoisan till. They are correlated as Miami and not Hickory because the sola are thin and calcareous well above 40 inches which is definitive for the Miami series.

MUSCATINE SERIES

SEATON SERIES

These soils have bright mottles in the lower part of the profile. In mapping unit 274C2 Seaton silt loam, 5 to 10 percent slopes, eroded the soil is not as acid in the most acid part of the profile as defined for the series; the tables will be adjusted.

SHULLSBURG SERIES

The Btl horizon is silty clay loam.

SPARTA SERIES

STRONGHURST SERIES

TAMA SERIES

These soils are not as acid in the most acid part of the profile as defined for the series; tables will be adjusted.

TELL SERIES

These soils are on uplands and are described as being stratified in the 2C horizon but are probably banded with lamella. In mapping unit 565C2 Tell silt loam, 5 to 10 percent slopes, eroded the reaction is higher (neutral) throughout the control section than is defined for the series; tables will be adjusted.

TICE SERIES STORY SLEEM BENCH SERIES

These soils do not have good evidence of fluventic properties, an irregular decrease on OC is presumed and the soils are not considered taxadjuncts.

WAKELAND SERIES

ZWINGLE SERIES

These soils formed in both red and grey lacustrine sediments and some of the colors do not match those defined for the series.

SOIL SURVEY JO DAVIESS COUNTY, ILLINOIS JANUARY 1990

CLASSIFICATION OF THE SOILS

(An asterisk in the first column indicates a taxadjunct to the series. See notes for a description of those characteristics of this taxadjunct that are outside the range of the series)

Soil name	Family or higher taxonomic class
	"AMA SERIES
Algansee	Mixed, mesic Aquic Udipsamments
Appleriver	Fine-silty, mixed, mesic Aquic Hapludalfs
Atterberry	Fine-silty, mixed, mesic Udollic Ochraqualfs
Beaucoup	Fine-silty, mixed, mesic Fluvaquentic Haplaquolls
*Beavercreek	Loamy-skeletal, mixed, nonacid, mesic Typic Udifluvents
Birds	Fine-silty, mixed, nonacid, mesic Typic Fluvaquents
Bloomfield	Sandy, mixed, mesic Psammentic Hapludalfs
Chelsea	Mixed, mesic Alfic Udipsamments
Derinda	Fine, mixed, mesic Typic Hapludalfs
Dickinson	Coarse-loamy, mixed, mesic Typic Hapludolls
Dorchester	Fine-silty, mixed (calcareous), mesic Typic Udifluvents
Downs	Fine-silty, mixed, mesic Mollic Hapludalfs
Dubuque	Fine-silty, mixed, mesic Typic Hapludalfs
Dunbarton	Clayey, montmorillonitic, mesic Lithic Hapludalfs
Elco	Fine-silty, mixed, mesic Typic Hapludalfs
Eleroy	Fine-silty, mixed, mesic Typic Hapludalfs
Elizabeth	Loamy-skeletal, mixed, mesic Lithic Hapludolls
Fayette	Fine-silty, mixed, mesic Typic Hapludalfs
*Flagg	Fine-silty, mixed, mesic Typic Hapludalfs
Frankville	Fine-silty, mixed, mesic Mollic Hapludalfs
Hoopeston	Coarse-loamy, mixed, mesic Aquic Hapludolls
Huntsville	Fine-silty, mixed, mesic Cumulic Hapludolls
Lacrescent	Loamy-skeletal, mixed, mesic Typic Hapludolls
Lamoille	Fine, mixed, mesic. Typic Hapludalfs
Lamont	Coarse-loamy, mixed, mesic Typic Hapludalfs
Lawson	Fine-silty, mixed, mesic Cumulic Hapludolls
Loran	Fine-silty, mixed, mesic Aquic Argiudolls
Massbach	Fine-silty, mixed, mesic Mollic Hapludalfs
Medary	Fine, mixed, mesic Typic Hapludalfs
Miami	Fine-loamy, mixed, mesic Typic Hapludalfs
Muscatine	Fine-silty, mixed, mesic Aquic Hapludolls
Nasset	Fine-silty, mixed, mesic Mollic Hapludalfs

SOIL SURVEY JO DAVIESS COUNTY, ILLINOIS JANUARY 1990

CLASSIFICATION OF THE SOILS--Continued

Soil name	Family or higher taxonomic class
NewGlarus	Fine-silty over clayey, mixed, mesic Typic Hapludalfs
Niota	Fine, mixed, mesic Mollic Albaqualfs
Orion	Coarse-silty, mixed, nonacid, mesic Aquic Udifluvents
Orthents	Fine-silty, mixed mesic Udorthents
*Palsgrove	Fine-silty, mixed, mesic Typic Hapludalfs
Psamments	
Raddle	Fine-silty, mixed, mesic Typic Hapludolls
Rozetta	Fine-silty, mixed, mesic Typic Hapludalfs
Sable	Fine-silty, mixed, mesic Typic Haplaquolls
*Schapville	Fine, mixed, mesic Typic Argiudolls
Seaton	Fine-silty, mixed, mesic Typic Hapludalfs
Shullsburg	
Sparta	Sandy, mixed, mesic Entic Hapludolls
Stronghurst	Fine-silty, mixed, mesic Aeric Ochraqualfs
Tama	
Tell	Fine-silty over sandy or sandy-skeletal, mixed, mesic Typic Hapludalfs
Tice	
Wakeland	
Zwingle	